

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 1 of 56

### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

以下測試樣品係由申請廠商所提伯 behalf of the applicant as):	失及確認 (The following sample(s) was/were submitted and identified by/on
送樣廠商(Sample Submitted By)	: 台硝股份有限公司 (T.N.C. INDUSTRIAL CO., LTD.)
様品名稱(Sample Description)	: DENSE NITROCELLULOSE DAMPED WITH 30% ISOPROPYL ALCOHOL(IPA)
收件日期(Sample Receiving Date)	: 2014/07/16
測試期間(Testing Period)	: 2014/07/16 TO 2014/07/29
測試結果(Test Results) :	請見下一頁 (Please refer to next pages).
結論(Conclusion) :	根據客户所提供的樣品,其多環芳香烴的測試結果符合德國ZLS的ZEK 01.4-08及其相 關修訂文件中的第1類PAHs要求 (Base upon the performed tests by submitted

samples, the test results of PAHs comply with the PAHs requirement

according to (Category 1) of ZEK 01.4-08 of German ZLS and its amendments.)





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 2 of 56

Test Report

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹郷坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### <u>測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 白色細粒 (WHITE GRANULE)

測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)
(Test Items)	(Unit)	(Method)	(MDL)	No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-5: 2013 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321-4: 2013方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321-4: 2013 and performed by ICP-AES.	2	n.d.
六價貉 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法,以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
銥 / Bismuth (Bi)	mg/kg	参考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
硒 / Selenium (Se)	mg/kg	参考US EPA 3052方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 3 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
绨 / Antimony (Sb)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鉺 / Barium (Ba)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
砷 / Arsenic (As)	mg/kg	參考US EPA 3052方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.
貉 / Chromium (Cr)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鎳 / Nickel (Ni)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
銅 / Copper (Cu)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
錳 / Manganese (Mn)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 4 of 56

**Test Report** 

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
銀 / Silver (Ag)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鋅 / Zinc (Zn)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鵭 / Tungsten (W)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鉭 / Tantalum (Ta)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
金 / Gold (Au)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
釩 / Vanadium (V)	mg/kg	参考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鉈 / Thallium (Tl)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 5 of 56

**Test Report** 

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鉆 / Cobalt (Co)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鉑 / Molybdenum (Mo)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
銘 / Aluminum (Al)	mg/kg	参考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
鈰 / Cerium (Ce)	mg/kg	參考US EPA 3052方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3052. Analysis was performed by ICP-AES.	2	n.d.
鈹 / Beryllium (Be)	mg/kg	參考US EPA 3050B方法,以感應耦合電漿原子 發射光譜儀檢測. / With reference to US EPA Method 3050B. Analysis was performed by ICP-AES.	2	n.d.
聚氯乙烯 / PVC	* *	以紅外光譜分析及焰色法檢測. / Analysis was performed by FTIR and FLAME Test.	-	Negative
多氯聯苯 / Polychlorinated Biphenyls (PCBs) (CAS No.: 1336- 36-3)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.
多氣三聯苯 / Polychlorinated Terphenyls (PCTs)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	0.5	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 6 of 56

**Test Report** 

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多氯奈 / Polychlorinated Naphthalene (PCNs)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.
短鏈氯化石蠟 / Alkanes, C10-13, chloro (Short Chain Chlorinated Paraffins) (CAS No.: 85535-84-8)	mg/kg	参考US EPA 3540C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	100	n.d.
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS-Acid, Metal Salt, Amide)	mg/kg	參考US EPA 3550C: 2007方法,以液相層析/ 質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
全氟辛酸 / PFOA (CAS No.: 335-67- 1)	mg/kg	參考US EPA 3550C: 2007方法,以液相層析/ 質譜儀檢測. / With reference to US EPA 3550C: 2007. Analysis was performed by LC/MS.	10	n.d.
甲醛 / Formaldehyde (CAS No.: 50- 00-0)	mg/kg	參考ISO 17226-1(2008)方法,以高效液相層 析儀/二極體陣列偵測器檢測./With reference to ISO 17226-1(2008).Analysis was performed by HPLC/DAD.	3	n.d.
2- (3', 5'-二叔丁基-2'-羟基苯基) 苯並三氮唑 / 2- (3,5-di-tert- buty1-2-hydroxypheny1)-2H- benzotriazole (CAS No.: 3846-71- 7)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜儀 檢測之./ With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.
六氯苯 / Hexachlorobenzene (CAS No.: 118-74-1)	mg/kg	參考US EPA 3550C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3550C method. Analysis was performed by GC/MS.	20	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 7 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
富馬酸二甲酯 / Dimethyl Fumarate (CAS No.: 624-49-7)	mg/kg	參考US EPA 3550C方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 3550C method. Analysis was performed by GC/MS.	0.1	n.d.
滅蟻靈 / Mirex (CAS No.: 2385-85- 5)	mg/kg	參考US EPA 8270D方法,以氣相層析/質譜儀 檢測. / With reference to US EPA 8270D method. Analysis was performed by GC/MS.	4	n.d.
雙酚 A / Bisphenol A (CAS No.: 80-05-7)	mg/kg	參考RSTS-HL-229-1方法,以超高效能液相層 析串聯質譜儀檢測. / With reference to RSTS-HL-229-1 method. Analysis was performed by UPLC-MSMS.	1	n.d.
苯 / Benzene (CAS No.: 71-43-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
甲苯 / Toluene (CAS No.: 108-88- 3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
二甲苯 / Xylene	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
乙苯 / Ethylbenzene (CAS No.: 100-41-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
乙醛 / Acetaldehyde (CAS No.: 75- 07-0)	mg/kg	參考ISO 17226-1(2008)方法,以高效液相層 析儀/二極體陣列偵測器檢測./With reference to ISO 17226-1(2008). Analysis was performed by HPLC/DAD.	3	n.d.
溴甲烷 / Bromomethane (CAS No.: 74-83-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 8 of 56

Test Report

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
溴氯甲烷 / Bromochloromethane (CAS No.: 74-97-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
六氟化硫 / Sulfur Hexafluoride (SF6) (CAS No.: 2551-62-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
辛基苯酚聚氧乙烯醚 / Octyl Phenol Ethoxylates (OPEO)	mg/kg	参考US EPA 3550C方法,以液相層析/質譜儀 分析./ With reference to US EPA 3550C method. Analysis was performed by LC/MS.	5	n.d.
壬基苯酚聚氧乙烯醚 / Nonyl Phenol Ethoxylates (NPEO)	mg/kg	参考US EPA 3550C方法,以液相層析/質譜儀 分析./ With reference to US EPA 3550C method. Analysis was performed by LC/MS.	5	n.d.
烷基苯酚聚氧乙烯醚 / Alkyl Phenol Ethoxylates (APEO)	mg/kg	NPEO+OPEO	-	n.d.
辛酚 / Octylphenol (OP) (CAS No.: 140-66-9)	mg/kg	参考US EPA 3550C方法,以液相層析/質譜儀 分析./ With reference to US EPA 3550C method. Analysis was performed by LC/MS.	10	n.d.
壬酚 / Nonylphenol (NP) (CAS No.: 25154-52-3)	mg/kg	參考US EPA 3550C方法,以液相層析/質譜儀 分析. / With reference to US EPA 3550C method. Analysis was performed by LC/MS.	10	n.d.
鄰苯二甲酸甲苯基丁酯 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二異癸酯 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0; 68515-49-1)	%	參考EN 14372, 以氣相層析/質譜儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 9 of 56

**Test Report** 

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0; 68515-48-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n- octyl phthalate) (CAS No.: 117- 84-0)	%	参考EN 14372,以氣相層析/質譜儀檢測./ With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372,以氣相層析/質譜儀檢測./ With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鹵素 / Halogen				
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.
鹵素 (氯) / Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析.	50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	/ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.
有機錫 / Organic-tin compounds				
三丁基錫 / Tributyl Tin (TBT)	mg/kg		0.03	n.d.
三苯基錫 / Triphenyl Tin (TphT)	mg/kg	1	0.03	n.d.
二丁基錫 / Dibutyl Tin (DBT)	mg/kg	參考ISO 17353方法,以氣相層析儀/火焰光度	0.03	n.d.
二辛基錫 / Dioctyl Tin (DOT)	mg/kg	偵測器檢測. / With reference to ISO	0.03	n.d.
三丁基錫氧化物 / Tributyl Tin Oxide (TBTO)*** (CAS No.: 56-35- 9)	mg/kg	17353. Analysis was performed by GC/FPD.	-	n.d.



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 10 of 56

# Test Report

台硝股份有限公司

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
(lest ltems)	(0111)	(method)	(MDL)	No.1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n.d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg		5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg		5	n.d.
六溴聯苯 / Hexabromobiphenyl	mg/kg		5	n.d.
七溴聯苯 / Heptabromobiphenyl	mg/kg	<b>*</b>	5	n.d.
入溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg	參考IEC 62321: 2008方法,以氣相層析/質譜	5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	2008 and performed by GC/MS.	5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	1	5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg	1	5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg	1	5	n.d.



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 11 of 56

台硝股份有限公司

**Test Report** 

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多環芳香烴 / Polynuclear				
Aromatic Hydrocarbons (PAHs)				
苊 / Acenaphthene (CAS No.: 83-32-9)	mg/kg		0.2	n.d.
苊烯 / Acenaphthylene (CAS No.: 208- 96-8)	mg/kg		0.2	n.d.
葱 / Anthracene (CAS No.: 120-12-7)	mg/kg	•	0.2	n.d.
苯駢蒽 / Benzo[a]anthracene (CAS No.:	mg/kg		0.2	n.d.
56-55-3)	0 0			
苯駢(a)芘 / Benzo[a]pyrene (CAS No.: 50-32-8)	mg/kg		0.2	n.d.
苯(b)苯駢芴 / Benzo[b]fluoranthene (CAS No.: 205-99-2)	mg/kg		0.2	n.d.
苯駢菲 / Benzo[g,h,i]perylene (CAS No.: 191-24-2)	mg/kg		0.2	n.d.
苯(k)苯駢芴 / Benzo[k]fluoranthene (CAS No.: 207-08-9)	mg/kg		0.2	n.d.
Chrysene (CAS No.: 218-01-9)	mg/kg	參考ZLS standard ZEK 01.4-08方法,以氣相	0.2	n.d.
ニ苯駢蒽 / Dibenzo[a,h]anthracene (CAS No.: 53-70-3)	mg/kg	層析/質譜儀檢測. / With reference to ZLS standard ZEK 01.4-08 method. Analysis	0.2	n.d.
苯駢芴 / Fluoranthene (CAS No.: 206- 44-0)	mg/kg	was performed by GC/MS.	0.2	n.d.
<u> </u>	mg/kg		0.2	n.d.
茚酮芘 / Indeno[1,2,3-c,d] pyrene (CAS No.: 193-39-5)	mg/kg		0.2	n.d.
萘 / Naphthalene (CAS No.: 91-20-3)	mg/kg		0.2	n.d.
菲 / Phenanthrene (CAS No.: 85-01-8)	mg/kg		0.2	n.d.
芘 / Pyrene (CAS No.: 129-00-0)	mg/kg		0.2	n.d.
苯(j)苯駢芴 / Benzo[j]fluoranthene (CAS No.: 205-82-3)	mg/kg		0.2	n.d.
苯駢(e)芘 / Benzo[e]pyrene (CAS No.: 192-97-2)	mg/kg		0.2	n.d.
多環芳香烴18項總和 / Sum of 18 PAHs	mg/kg		-	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 12 of 56

## **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
石棉 / Asbestos				
陽起石棉 / Actinolite (CAS No.: 77536-66-4)	%		-	Negative
鐵石棉(褐石棉) / Amosite (CAS No.: 12172-73-5)	%	参考EPA 600/R-93/116 / 立體顯微鏡 (SM), 分散染色式偏光顯微鏡 (DS-PLM)及X光繞射光	-	Negative
斜方角閃石棉 / Anthophyllite (CAS No.: 77536-67-5)	%	譜分析法 (XRD) / With reference to EPA 600/R-93/116 method. Analysis was	-	Negative
溫石棉(白石棉) / Chrysotile (CAS No.: 12001-29-5)	%	performed by Stereo Microscope (SM), Dispersion Staining Polarized Light	-	Negative
青石棉 / Crocidolite (CAS No.: 12001-28-4)	%	Microscope (DS-PLM) and X-ray Diffraction Spectrometer (XRD).	-	Negative
透閃石棉 / Tremolite (CAS No.: 77536-68-6)	%		-	Negative
偶氮 (AZO)				
1): 4-氨基二苯 / 4-AMINODIPHENYL (CAS No.: 92-67-1)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
2): 聯苯胺 / BENZIDINE (CAS No.: 92-87-5)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
3): 4-氯鄰甲苯胺 / 4-CHLORO-O- TOLUIDINE (CAS No.: 95-69-2)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
4): 2-萘 <b>胺</b> / 2-NAPHTHYLAMINE (CAS No.: 91-59-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
5): 鄰氨基二甲基偶氮 / O- AMINOAZOTOLUENE (CAS No.: 97-56- 3)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 13 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
6): 對硝基鄰甲苯胺 / 2-AMINO-4- NITROTOLUENE (CAS No.: 99-55-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
7): 對氯苯胺 / P-CHLOROANILINE (CAS No.: 106-47-8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
8): 4-甲氧基-間苯二胺 / 2,4- DIAMINOANISOLE (CAS No.: 615-05- 4)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
9): 4,4'-二氨基二苯甲烷 / 4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 101-77-9)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
10): 3,3'-二氯聯苯胺 / 3,3'- DICHLOROBENZIDINE (CAS No.: 91- 94-1)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
11): 3,3'-二甲氧基聯苯胺 / 3,3'- DIMETHOXYBENZIDINE (CAS No.: 119- 90-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
12): 3,3'-二甲基聯苯胺 / 3,3'- DIMETHYLBENZIDINE (CAS No.: 119- 93-7)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
13): 3,3'-二甲基-4,4'-二氨基二苯 甲烷 / 3,3'-DIMETHYL-4,4'- DIAMINODIPHENYLMETHANE (CAS No.: 838-88-0)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
14): 2-甲氧基-5-甲基聯苯 / P- CRESIDINE (2-METHOXY-5- METHYLANILINE) (CAS No.: 120-71- 8)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 14 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
15): 4,4'-亞甲基雙(氯苯胺)/ 4,4'-METHYLENE-BIS-(2- CHLOROANILINE) (CAS No.: 101-14- 4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
16): 4,4'-氧化雙苯胺 / 4,4'- OXYDIANILINE (CAS No.: 101-80-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
17): 4,4'-硫代雙苯胺 / 4,4'- THIODIANILINE (CAS No.: 139-65-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
18): 鄰甲苯胺 / O-TOLUIDINE (CAS No.: 95-53-4)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
19): 2,4-二氨基甲苯 / 2,4- TOLUYLENEDIAMINE (CAS No.: 95-80- 7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
20): 2,4,5-三甲基苯胺 / 2,4,5- TRIMETHYLANILINE (CAS No.: 137- 17-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
21): 鄰位甲氧基苯胺 / O-ANISIDINE (CAS No.: 90-04-0)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
22): 對氨基偶氮苯 / 4- AMINOAZOBENZENE (CAS No.: 60-09- 3)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
23): 2,4-二甲基苯胺 / 2,4- XYLIDINE (CAS No.: 95-68-1)	mg/kg	参考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 15 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
24): 2,6-二甲基苯胺 / 2,6- XYLIDINE (CAS No.: 87-62-7)	mg/kg	參考LFGB 82.02-2方法,以氣相層析/質譜儀 檢測. / With reference to LFGB 82.02-2. Analysis was performed by GC/MS.	3	n.d.
氟氯碳化物 / CFCs (Chlorofluorocarbons)				
Group I				
氟氯碳化物 (Chlorofluorocarbon)- 11 (CAS No.: 75-69-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 12 (CAS No.: 75-71-8)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 113 (CAS No.: 76-13-1)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 114 (CAS No.: 76-14-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 115 (CAS No.: 76-15-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
Group III				
氟氯碳化物 (Chlorofluorocarbon)- 13 (CAS No.: 75-72-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 111 (CAS No.: 354-56-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 16 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氟氯碳化物 (Chlorofluorocarbon)- 112 (CAS No.: 76-12-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 211 (CAS No.: 422-78-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 212 (CAS No.: 3182-26-1)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 213 (CAS No.: 2354-06-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 214 (CAS No.: 29255-31-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 215 (CAS No.: 4259-43-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 216 (CAS No.: 661-97-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯碳化物 (Chlorofluorocarbon)- 217 (CAS No.: 422-86-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 / HCFCs (Hydrochlorofluorocarbons)				
氟氯氢碳化物 (HCFC)-21 (CAS No.: 75-43-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 17 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氟氯氢碳化物 (HCFC)-22 (CAS No.: 75-45-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-31 (CAS No.: 593-70-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-121 (CAS No.: 354-14-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-122 (CAS No.: 354-21-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-123 (CAS No.: 306-83-2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-124 (CAS No.: 2837-89-0)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-131 (CAS No.: 359-28-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-132b (CAS No.: 1649-08-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-133a (CAS No.: 75-88-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-141b (CAS No.: 1717-00-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 18 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氟氯氫碳化物 (HCFC)-142b (CAS No.: 75-68-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-221 (CAS No.: 422-26-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-222 (CAS No.: 422-49-1)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-223 (CAS No.: 422-52-6)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-224 (CAS No.: 422-54-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-225ca (CAS No.: 422-56-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-225cb (CAS No.: 507-55-1)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-226 (CAS No.: 431-87-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-231 (CAS No.: 421-94-3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-232 (CAS No.: 460-89-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 19 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氟氯氫碳化物 (HCFC)-233 (CAS No.: 7125-84-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-234 (CAS No.: 425-94-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-235 (CAS No.: 460-92-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-241 (CAS No.: 666-27-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-242 (CAS No.: 460-63-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-243 (CAS No.: 460-69-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-244	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-251 (CAS No.: 421-41-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-252 (CAS No.: 819-00-1)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-253 (CAS No.: 460-35-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 20 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氟氯氫碳化物 (HCFC)-261 (CAS No.: 420-97-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氢碳化物 (HCFC)-262 (CAS No.: 421-02-03)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氟氯氫碳化物 (HCFC)-271 (CAS No.: 430-55-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍 (Halons)				
海龍 (Halon)-1211 (CAS No.: 353- 59-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍 (Halon)-1301 (CAS No.: 75- 63-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
海龍 (Halon)-2402 (CAS No.: 124- 73-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氯溴化物 / HBFCs (Hydrobromofluorocarbons)				
不完全鹵化氟溴化物(HBFC)-21B2 (CHFBr2) (CAS No.: 1868-53-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-22B1 (CHF2Br) (CAS No.: 1511-62-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物(HBFC)-31B1 (CH2FBr)(CAS No.: 373-52-4)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 21 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
不完全鹵化氟溴化物 (HBFC)-121B4 (C2HFBr4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-122B3 (C2HF2Br3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-123B2 (C2HF3Br2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-124B1 (C2HF4Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-131B3 (C2H2FBr3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-132B2 (C2H2F2Br2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-133B1 (C2H2F3Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-141B2 (C2H3FBr2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-142B1 (C2H3F2Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-151B1 (C2H4FBr)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 22 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
不完全鹵化氟溴化物 (HBFC)-221B6 (C3HFBr6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-222B5 (C3HF2Br5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-223B4 (C3HF3Br4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-224B3 (C3HF4Br3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-225B2 (C3HF5Br2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-226B1 (C3HF6Br)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-231B5 (C3H2FBr5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-232B4 (C3H2F2Br4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-233B3 (C3H2F3Br3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-234B2 (C3H2F4Br2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 23 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
不完全鹵化氟溴化物 (HBFC)-235B1 (C3H2F5Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-241B4 (C3H3FBr4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-242B3 (C3H3F2Br3)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-243B2 (C3H3F3Br2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-244B1 (C3H3F4Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-251B3 (C3H4FBr3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-252B2 (C3H4F2Br2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-253B1 (C3H4F3Br)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-261B2 (C3H5FBr2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
不完全鹵化氟溴化物 (HBFC)-262B1 (C3H5F2Br)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 24 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
不完全鹵化氟溴化物 (HBFC)-271B1 (C3H6FBr)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氯碳化物 / HFCs (Hydrofluorocarbon)				
氫氟碳化物 (HFC)-23 (CHF3) (CAS No.: 75-46-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-32 (CH2F2) (CAS No.: 75-10-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-41 (CH3F) (CAS No.: 593-53-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-43-10mee (C5H2F10)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-125 (C2HF5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-134 (C2H2F4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-134a (CH2FCF3) (CAS No.: 811-97-2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-143 (CH3F3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 25 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
氫氟碳化物 (HFC)-143a (CH3F3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物(HFC)-152a(C2H4F2) (CAS No.: 75-37-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-227ea (C3HF7) (CAS No.: 431-89-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-236fa (C3H2F6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-236ea (C3H2F6) (CAS No.: 431-63-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-245ca (C3H3F5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-245fa (C3H3F5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氫氟碳化物 (HFC)-365mfc (C4H5F5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氯碳化物 / PFCs (Perfluorocarbon)				
四氟甲烷 / F14 (CAS No.: 75-73-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 26 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
六氟乙烷 / Fluorocarbon 116 (CAS No.: 76-16-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
入氟丙烷 / Freon 218 (CAS No.: 76-19-7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
十氟丁烷 / Decafluorobutane (CAS No.: 355-25-9)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
八氟環丁烷 / Freon C318 (CAS No.: 115-25-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟-1-丁烯 / Perfluor-1-butene (CAS No.: 357-26-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟異丁烯 / perfluorisobutene (CAS No.: 382-21-8)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,4-二氫八氟丁烷 / 1,4- dihydrooctafluorobutane (CAS No.: 377-36-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2-全氟甲基丁烷 / nonafluor-2- (trifluoromethyl)butane (CAS No.: 594-91-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
全氟戊烷 / perfluoro-n-pentane (CAS No.: 678-26-2)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2-全氟甲基戊烷 / 2- perfluoromethylpentane (CAS No.: 355-04-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 27 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)			結果 (Result) No.1	
全氟己烷 / perfluorohexane (CAS No.: 355-42-0)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
氯化碳氫化物 / CHCs (Chlorinate hydrocarbon)					
1,1,1,2-四氯乙烷 / 1,1,1,2- Tetrachloroethane (CAS No.: 630- 20-6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,1-三氯乙烷 / 1,1,1- Trichloroethane (CAS No.: 71-55- 6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,2,2-四氯乙烷 / 1,1,2,2- Tetrachloroethane (CAS No.: 79- 34-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1,2-三氯乙烷 / 1,1,2- Trichloroethane (CAS No.: 79-00- 5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1-二氟乙烷 / 1,1-Dichloroethane (CAS No.: 75-34-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1-二氯乙烯 / 1,1-Dichloroethene (CAS No.: 75-35-4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,1-二氯丙烯 / 1,1- Dichloropropene (CAS No.: 563-58- 6)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	
1,2,3-三氯丙烷 / 1,2,3- Trichloropropane (CAS No.: 96-18- 4)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.	



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 28 of 56

#### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
1,2-二氯乙烷 / 1,2-Dichloroethane (CAS No.: 107-06-2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,2-二氯丙烷 / 1,2- Dichloropropane (CAS No.: 78-87- 5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
1,3-二氯丙烷 / 1,3- Dichloropropane (CAS No.: 142-28- 9)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
2,2-二氯丙烷 / 2,2- Dichloropropane (CAS No.: 594-20- 7)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
四氯甲烷(四氯化碳)/ Carbon tetrachloride (CAS No.: 56-23-5)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯乙烷 / Chloroethane (CAS No.: 75-00-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯仿 / Chloroform (CAS No.: 67- 66-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
氯甲烷 / Chloromethane (CAS No.: 74-87-3)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
順-1,2-二氯乙烯 / cis-1,2- Dichloroethene (CAS No.: 156-59- 2)	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.
順-1,3-二氯丙烯 / cis-1,3- Dichloropropene (CAS No.: 10061- 01-5)	mg/kg	参考US EPA 5021方法,以氣相層析/質譜儀檢 測. / With reference to US EPA 5021 method. Analysis was performed by GC/MS.	1	n.d.



台硝股份有限公司

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 29 of 56

### **Test Report**

T.N.C. INDUSTRIAL CO., LTD.

桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
六氯丁二烯 / Hexachlorobutadiene	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
(CAS No.: 87-68-3)		測. / With reference to US EPA 5021		
		method. Analysis was performed by GC/MS.		
二氯甲烷 / Dichloromethane (CAS	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
No.: 75-09-2)		測. / With reference to US EPA 5021		
		method. Analysis was performed by GC/MS.		
四氯乙烯 / Tetrachloroethene (CAS	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
No.: 127-18-4)		測. / With reference to US EPA 5021		
		method. Analysis was performed by GC/MS.		
反-1,2-二氯乙烯 / trans-1,2-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
Dichloroethene (CAS No.: 156-60-		測. / With reference to US EPA 5021		
5)		method. Analysis was performed by GC/MS.		
反-1,3-二氯丙烯 / trans-1,3-	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
Dichloropropene (CAS No.: 10061-		測. / With reference to US EPA 5021		
02-6)		method. Analysis was performed by GC/MS.		
三氯乙烯 / Trichloroethylene (CAS	mg/kg	參考US EPA 5021方法,以氣相層析/質譜儀檢	1	n.d.
No.: 79-01-6)		測. / With reference to US EPA 5021		
		method. Analysis was performed by GC/MS.		

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	結果 (Result) No.1
放射性物質 / Radioactive Substances	μSv/ hour	蓋革計數器 (Geiger counter)	Negative*



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 30 of 56

#### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格値)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. 石棉定性分析試驗範圍: <0.1%~100%,石棉鑑定的判定基準是以檢出含有石棉纖維為『Positive』,未檢出石棉纖 維為『Negative』。/ Testing range of asbestos qualitative analysis is from less than 0.1% to 100%. The judgment criterion: asbestos fibers being found is shown as "Positive"; asbestos fibers not being found is shown as "Negative".
- 8. \*\*\*: 該物質是由"三丁基錫"之測試結果計算得知. 其MDL是針對"三丁基錫"之評估. (The substance was calculated by the test result of Tributyl Tin. The MDL was evaluated for Tributyl Tin.)
- 9. 參數換算表 / Parameter Conversion Table: Please refer to http://twap.sgs.com/sgsrsts/chn/download-REACH\_tw.asp
- 10. Negative\*/Positive\*: 蓋革計數器偵測放射性物質的檢測結果係利用檢測值與環境背景值相比較的結果,一般天然環境下都存在微量的輻射劑量(一般環境背景的輻射劑量約小於等於0.2µSv/hr)。如果檢測值低於環境背景值時,表示正常或無異常(Negative\*);相反地,檢測值高於環境背景值時,表示異常(Positive\*)。

(The test result of Geiger counter is from comparison between test outcome and environment background. In general, there is little radiation dose existing in environment. (Radiation dose from environment background usually less than or equal to  $0.2\mu Sv/hr$ ) The test result less than environment background was shown as Negative\*; the result greater than environment background was shown as Positive\*.)



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 31 of 56

### Test Report

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹郷坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### <u>PAHs参考資料(Reference information) :</u>

#### 依據ZEK 01.4-08之要求:產品中最大值為

(Requirement of ZEK 01.4-08 : Restraining maximum values for products)

項目 (Parameter)	第1類 (Category 1)	第2類 (Category 2)	第3類 (Category 3)
	意圖放入嘴内的材料或與 36個月以下的幼兒皮膚有 所接觸的玩具. (Material indented to be put in the mouth or	可預見與皮膚接觸逾30秒 (長期與皮膚接觸),以及 不屬於第1類的材料. (Materials not falling under category 1 with foreseeable contact to	可預見與皮膚接觸短於30 秒(短期與皮膚接觸),以 及不屬於第1類或第2類的 材料.(Materials not falling under category 1 or 2 with foreseeable contact to
	contact.)	skin contact).)	seconds (short-term skin contact).)
苯騈(a)芘 Benzo[a]pyrene (mg/kg)	<mdl (<0.2)**<="" td=""><td>1</td><td>20</td></mdl>	1	20
18項PAH總濃度 (Sum of 18 PAH) (mg/kg)*	<mdl (<0.2)**<="" td=""><td>10</td><td>200</td></mdl>	10	200

#### <u>注意(Remark):</u>

\* = PAH濃度大於0.2mg/kg時,則須計算PAH總濃度值.

(Only PAH substances >0.2 mg/kg are taken into account while calculating the sum of PAHs.)

\*\* = 最大濃度值超出等級一的限制,但在等級二的濃度限制值內時,可能需要確認測試材質是否適用於與食品或與 口腔黏膜接觸,並依照EN 1186 ff. and § 64 LFBG 80.30-1方法,針對特定PAH的遷移測試進行測試。遷移測試的 結論需依照食品規範評估。

(If the limits of category 1 are surpassed but the limits of category 2 still met, the confirmation of suitability of contact with foodstuff or the oral mucosa can be verified by an additional specific migration test of the PAH components according to EN 1186 ff. and 64 LFBG 80.30-1. The results of the migration test shall be evaluated according to law criteria for foodstuff.)



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 32 of 56

#### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### PFOS参考資訊(Reference Information): 持久性有機污染物 POPs - (EU) 757/2010

PFOS濃度在物質或製備中不得超過0.001%(10ppm),在半成品、成品或零部件中不得超過0.1%(1000ppm),在紡織品 或塗層材料中不得超過1µg/m<sup>2</sup>。

(Outlawing PFOS as substances or preparations in concentrations above 0.001% (10ppm), in semi-finished products or articles or parts at a level above 0.1%(1000 ppm), in textiles or other coated materials above  $1\mu g/m^2$ .)



## 測試報告 Test Report

號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 33 of 56

台硝股份有限公司

T.N.C. INDUSTRIAL CO., LTD.


桃園縣蘆竹鄉坑口村3鄰29之25號

29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

1) 根據以下的流程圖之條件,樣品已完全溶解。(六價 貉測試方法除外) / These samples were

dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)

- 2) 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸腾萃取. / For metallic material, add pure water and heat to boiling.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 34 of 56


#### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號

- 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.
  - 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
  - 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
  - 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

#### 元素以 ICP-AES 分析的消化流程圖

#### (Flow Chart of digestion for the elements analysis performed by ICP-AES)






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 35 of 56

### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### 雙酚A分析流程圖 / Bisphenol A analytical flow chart

- 測試人員:林建宇 / Name of the person who made measurement: Roy Lin
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.) : CE/2014/73201A 日期(Date) : 2014/08/04 頁數(Page) : 36 of 56


### **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

#### 滅蟻重分析流程圖 / Mirex analytical flow chart

■ 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 37 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 富馬酸二甲酯分析流程圖 / Dimethyl Fumarate analytical flow chart

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 38 of 56

# **Test Report**


台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 乙醛分析流程圖 / Acetaldehyde analytical flow chart

■ 测試人員:涂雅苓 / Name of the person who made measurement: Yaling Tu

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【测試方法(Test Method): US EPA 8315A、ISO 17226-1】





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 39 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 苯並三唑類化合物分析流程圖 / Benzotriazole analytical flow chart

■ 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 40 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 甲醛分析流程圖 / Formaldehyde analytical flow chart

- 测試人員:凃雅苓 / Name of the person who made measurement: Yaling Tu
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang








號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 41 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 多環芳香烴分析流程圖 / PAHs (Polynuclear Aromatic Hydrocarbons) analytical flow chart

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 42 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

■ 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 43 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 聚氯乙烯物質判定分析流程圖 /

### Analysis flow chart for determination of PVC in material

- 測試人員:林建宇 / Name of the person who made measurement: Roy Lin
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 44 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 石棉鑑定分析流程圖 / Analysis flow chart for determination of Asbestos

- 測試人員:高鍵忠 / Name of the person who made measurement: Victor Kao
- 測試負責人:魏明芬 / Name of the person in charge of measurement: Wendy Wei



【参考方法(Reference method): EPA 600/R-93/116】




號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 45 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 有機錫分析流程圖 / Analytical flow chart of Organic-Tin content

- 测試人員:林建宇 / Name of the person who made measurement: Roy Lin
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 46 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 氯化石蠟分析流程圖 / Chlorinated Paraffins analytical flow chart

- 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-Documenta.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-Documenta.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.



號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 47 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 多氯奈分析流程圖 / PCNs analytical flow chart

■ 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 48 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 多氯三聯苯分析流程圖 / PCTs analytical flow chart

■ 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 49 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 多氯聯苯分析流程圖 / PCBs analytical flow chart

■ 測試人員:曾勃鈞 / Name of the person who made measurement: Barry Tseng

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an




號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 50 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 全氯辛酸/全氯辛烷磺酸分析流程圖 / PFOA/PFOS analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 51 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 52 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹郷坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 53 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 烷基苯酚聚氧乙烯醚分析流程圖 / APEO analytical flow chart

【烷基苯酚聚乙氧烯醚(APEO)=辛基苯酚聚乙氧烯醚烷(OPEO)+壬基苯酚聚乙氧烯醚(NPEO)】

- 測試人員:陳慧儀 / Name of the person who made measurement: Winnie Chen
- 測試負責人:陳新智 / Name of the person in charge of measurement: Shinjyh Chen





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 54 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 壬酚、辛酚分析流程圖 / NP、OP analytical flow chart

■ 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong

■ 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 55 of 56


# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹鄉坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

### 揮發性有機化合物分析流程圖 / Analytical flow chart of volatile organic compounds (VOCs)

- 測試人員: 吳椿景 / Name of the person who made measurement: Chun Wu
- 測試負責人:陳新智 / Name of the person in charge of measurement: Shinjyh Chen

【參考方法(Reference method): US EPA 5021】





號碼(No.): CE/2014/73201A 日期(Date): 2014/08/04 頁數(Page): 56 of 56

# **Test Report**

台硝股份有限公司 T.N.C. INDUSTRIAL CO., LTD. 桃園縣蘆竹郷坑口村3鄰29之25號 29-25, KANG-KOU VILLAGE, LU-CHU SHIANG, TAOYUAN HSIEN, TAIWAN, R.O.C.

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

# CE/2014/73201 Image: Distance of the second of th

\*\* 報告結尾 (End of Report) \*\*

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an